


# Mounting Kits

## Benefits:

- Easy assembly and 90° image rotation
- Flexible adjustment of working distance and orientation
- Robust construction out of anodized aluminum
- Vibration proof
- Resist displacement forces of up to 2000N
- Adapts to any standard T-slot profile









Product	Images	Order Number
<b>Mounting Kit 1</b> - Parallel mounting pattern - 90° image rotation - Working distance adjustment		5.010.000
<b>Mounting Kit 2</b> - Vertical mounting pattern - 90° image rotation - Working distance adjustment		5.020.000



Product	Image	Order Number
<b>Mounting Kit 6</b> <ul style="list-style-type: none"><li>- 360° pan</li><li>- 90° image rotation</li><li>- Working distance adjustment</li></ul>		5.060.000
<b>Mounting Kit 7</b> <ul style="list-style-type: none"><li>- +/- 8° tilt</li><li>- 90° image rotation</li><li>- Working distance adjustment</li></ul>		5.070.000
<b>Mounting Kit 9</b> <ul style="list-style-type: none"><li>- 360° pan</li><li>- +/- 8° tilt</li><li>- 90° image rotation</li><li>- Working distance adjustment</li></ul>		5.090.000
<b>Mounting Kit 10</b> <ul style="list-style-type: none"><li>- Tripod adapter with 1/4" and 3/8" thread</li><li>- 90° image rotation</li><li>- Working distance adjustment</li></ul>		5.100.000
<b>Mounting Kit 15</b> <ul style="list-style-type: none"><li>- 360° pan</li><li>- 360° tilt</li><li>- 90° image rotation</li><li>- Working distance adjustment</li></ul>		5.150.000

# Mounting Kits

Product	Image	Order Number
<b>Mounting Kit 16</b> - 360° pan - >120° tilt - 90° image rotation - Working distance adjustment		5.160.000
<b>Mounting Kit 17</b> - 360° pan - >120° tilt - 90° image rotation - Working distance adjustment - Adapts to 40mm dovetail profile		5.170.000
<b>Mounting Kit 18</b> - 360° pan - >30° tilt - 90° image rotation - Working distance adjustment		5.180.000
<b>Mounting Kit 19</b> - 360° pan - >30° tilt - 90° image rotation - Working distance adjustment - Adapts to 40mm dovetail profile		5.190.000
<b>Clamp Handle for Knuckle</b> - Tool-free adjustment - Perfect for laboratory use		10.100.001
<b>V2A Cylinder Head Screw UNC 10-24 3/4"</b> - for Mounting Kit 16 and 17 - Recommended for outdoor use		40.043
<b>V2A Cylinder Head Screw UNC 10-24 1/2"</b> - for Mounting Kit 18, 19, 24 and 26 - Recommended for outdoor use		40.044



Product	Image	Order Number
<b>Mounting Kit 21</b> - Parallel and vertical mounting pattern - 90° image rotation - Working distance adjustment - For Colibri enclosures		5.210.000
<b>Mounting Kit 22</b> - Tripod adapter with 1/4" and 3/8" thread - 90° image rotation - Working distance adjustment - For Colibri enclosures		5.220.000
<b>Mounting Kit 24</b> - 360° endless pan - >35° tilt - 90° image rotation - Working distance adjustment - For Colibri enclosures		5.240.000
<b>Mounting Kit 26</b> - 360° endless pan - >35° tilt - 90° image rotation - Working distance adjustment - For Colibri enclosures		5.260.000
<b>Mounting Kit 27</b> - 360° endless pan - 90° image rotation - Working distance adjustment - For Colibri enclosures		5.270.000
<b>Mounting Kit 28</b> - +/- 90° tilt - 90° image rotation - Working distance adjustment - For Colibri enclosures		5.280.000
<b>Mounting Kit 29</b> - 360° endless pan - +/- 90° tilt - 90° image rotation - Working distance adjustment - For Colibri enclosures		5.290.000